

參考資料

1. IASP Taxonomy. <https://www.iasp-pain.org/Taxonomy#Pain> (Accessed March 16, 2018).
2. IASP Cancer Pain. <https://www.iasp-pain.org/GlobalYear/CancerPain> (Accessed March 16, 2018).
3. Portenoy RK. Contemporary Diagnosis and Management of Pain in Oncologic and AIDS Patients, 2nd Ed. Newtown PA, USA: Handbooks in Health Care Co., 1998.
4. Fitzgibbon DR, Loeser JD. Cancer Pain: Assessment, Diagnosis, and Management. Philadelphia PA, USA: Lippincott Williams & Wilkins, 2010.
5. Ware LJ, Epps CD, Herr K, et al. Evaluation of the Revised Faces Pain Scale, Verbal Descriptor Scale, Numeric Rating Scale, and Iowa Pain Thermometer in older minority adults. *Pain Manag Nurs* 2006; 7:117-25.
6. Herr K, Coyne PJ, McCaffery M, et al. Pain assessment in the patient unable to self-report: Position statement with clinical practice recommendations. *Pain Manag Nurs* 2011; 12:230-50.
7. Hicks CL, von Baeyer CL, Spafford PA, et al. The Faces Pain Scale-Revised: Toward a common metric in pediatric pain measurement. *Pain* 2001; 93:173-83.
8. Tsao SL, Hsieh YJ. Pain management experience at a central Taiwan medical center. *Acta Anaesthesiol Taiwan* 2015; 53:66-70.
9. Al-Atiyyat NMH. Cultural Diversity and Cancer Pain. *J Hosp Palliat Nurs* 2009; 11:154-64.
10. Ezenwa MO, Ameringer S, Ward SE, et al. Racial and ethnic disparities in pain management in the United States. *J Nurs Scholarsh* 2006; 38:225-33.
11. Kaye AD, Baluch A, Scott JT. Pain management in the elderly population: A review. *Ochsner J* 2010; 10:179-87.
12. CS Cleeland. Undertreatment of cancer pain in elderly patients. *JAMA* 1998; 279:1914-5.
13. KO Anderson, Richman SP, Hurley J, et al. Cancer pain management among underserved minority outpatients: Perceived needs and barriers to optimal control. *Cancer* 2002; 94:2295-304.
14. Cleeland CS, Nakamura Y, Mendoza TR, et al. Dimensions of the impact of cancer in a four-country sample: New information from multidimensional scaling. *Pain* 1996; 67:267-73.
15. MD Andersen Cancer Center: The Brief Pain Inventory. <https://www.mdanderson.org/research/departments-labs-institutes/departments-divisions/symptom-research/symptom-assessment-tools/brief-pain-inventory.html> (Accessed March 16, 2018).
16. Kovach CR, Noonan PE, Griffie J, et al. The assessment of discomfort in dementia protocol. *Pain Manag Nurs* 2002; 3:16-27.
17. Feldt KS. The checklist of nonverbal pain indicators (CNPI). *Pain Manag Nurs* 2000; 1:13-21.
18. Panke JA, Kuntupis M, MacDonald S, et al. A pain assessment tool for people with advanced Alzheimer's and other progressive dementias. *Home Healthc Nurse* 2003; 21:32-7.

19. Payen JF, Bru O, Bosson JL, et al. Assessing pain in critically ill sedated patients by using a behavioral pain scale. *Crit Care Med* 2001; 29:2258-63.
20. Céline G, Céleste J. Pain Assessment in the Critically Ill Ventilated Adult: Validation of the Critical-Care Pain Observation Tool and Physiologic Indicators. *Clin J Pain* 2007; 23:497-505.